

## LAWN, TURF AND PRODUCTS FOR AMENITY AREAS (Fargro Horticultural Sundries Catalogue)

This is a catalogue of products for Fargro's South East UK distribution area only.

**Unless otherwise indicated pesticide products included here, which includes herbicides and fungicides, are for professional use only; operators must have had training and be suitably qualified to use them.**

For approved pesticide products, details of any Specific Off Label Approvals (SOLAs) or any use under the Long Term Arrangements for Extension of Use (LTAEU) have not been listed here.

Any approved pesticide product must be stored and used in accordance with the code of practice on pesticide use. Details on pesticide training, regulations, the code of practice on pesticide use, approvals and any allowable off label use are available from the [Chemicals Regulation Directorate website - www.pesticides.gov.uk](http://www.pesticides.gov.uk).

Information is believed to be correct at time of compilation but pesticide approvals and products change frequently. Products and or approval numbers listed here may no longer be valid. Similar products may replace those listed.

More information on the products may be available from the manufacturer's own website or contact Fargro.

**If you require a specific product not listed here please contact us as we can usually help.**

### FERTILISERS AND FERTILISER MIXTURES WITH HERBICIDES

#### SCOTTS SPORTSMASTER RANGE:

##### **SPRING & SUMMER 09+07+07**

**SCOTTS**

Scotts Sportsmaster range. mini-granules.

**Contains:** 9% N, 7% P<sub>2</sub>O<sub>5</sub>, 7% K<sub>2</sub>O.

Breaks down quickly to give rapid uptake of nutrients reducing risk of scorch and mower pick-up.

**Application rate:** 35 - 70 g/m<sup>2</sup>.

**Area treated by a 25kg bag:** 355 - 714 m<sup>2</sup>

**Suggested use period:** April to September.

**Longevity:** 6 weeks.

**Application Method:** Apply to dry foliage and irrigate after 1 - 2 days if no rain has fallen.

**Fargro code:** LAFSS (25 kg).

##### **CLEANRUN PRO 10+02+04 +Herbicide** **(Feed and Weed).**

**SCOTTS**

Scotts Sportsmaster range mini granules.

**Contains:** 10% N, 2% P<sub>2</sub>O<sub>5</sub>, 4% K<sub>2</sub>O.

0.49% w/w MCPA, +0.29% w/w mecoprop-P

**MAPP No:** 15073 (Cleanrun Pro is a registered professional herbicide therefore users require training in pesticide use).

Double action, mini granular, compound fertiliser.

**Application rate:** 35 g/m<sup>2</sup>.

**Area treated by a 25kg bag:** 714 m<sup>2</sup>.

**Suggested use period:** April to September.

**Longevity:** 6 weeks.

**Application Method:** Apply to dry foliage and irrigate after 1 - 2 days if no rain has fallen.

**Fargro code:** LAFWS (25kg).

##### **RENOVATOR PRO 10+02+04 +Fe+Herbicide** **(Weed, feed and mosskiller).**

**SCOTTS**

From the Scotts Sportsmaster range, mini granules.

**Contains:** 10% N, 2% P<sub>2</sub>O<sub>5</sub>, 4% K<sub>2</sub>O.

0.49% w/w MCPA, 0.29% w/w mecoprop-P, 16.3% w/w ferrous sulphate.

**MAPP No:** 12204. (Renovator Pro is a registered professional herbicide therefore users require training in pesticide use).

Triple action, mini granular, compound fertiliser.

**Application rate:** 35 g/m<sup>2</sup>.

**Area treated by a 25kg bag:** 714 m<sup>2</sup>.

**Suggested use period:** April to September.

**Longevity:** 6 weeks.

**Application Method:** Apply to dry foliage and irrigate after 1 - 2 days if no rain has fallen.

**Fargro code:** LAFMS (25kg).

##### **AUTUMN 04+12+12**

**SCOTTS**

Scotts Sportsmaster range, mini granules.

**Contains:** 4% N, 12% P<sub>2</sub>O<sub>5</sub>, 12% K<sub>2</sub>O.

High phosphate and potash with cost-effective application rates.

**Application rate:** 35 - 70 g/m<sup>2</sup>.

**Area treated by a 25kg bag:** 355 - 714 m<sup>2</sup>.

**Suggested use period:** August to November.

**Longevity:** 6 weeks.

**Application Method:** Apply to dry foliage and irrigate after 1 - 2 days if no rain has fallen.

**Fargro code:** LAFAS (25kg).

##### **PRE-SEEDER 8+12+8 +3MgO**

**SCOTTS**

Scotts Sportsmaster range mini granules.

**Contains:** 8% N, 12% P<sub>2</sub>O<sub>5</sub>, 8 K<sub>2</sub>O, 3% MgO.

Ideal balance of NPK to strengthen turf, encourage harder growth and better root development.

**Application rate:** 30 - 50 g/m<sup>2</sup>.

**Area treated by a 25kg bag:** 500 - 833 m<sup>2</sup>.

**Suggested use period:** March to October.

**Longevity:** 6 weeks.

**Fargro code:** LAPRE (25 kg).

#### SCOTTS GREENMASTER RANGE:

##### **GREENMASTER SPRING & SUMMER**

**SCOTTS**

##### **(FINE TURF) 14+5+10**

Greenmaster Pro-Lite range.

Produces growth and colour response within about 7 days.

**Contains:** 14% N, 5% P<sub>2</sub>O<sub>5</sub>, 10% K<sub>2</sub>O, 2% MgO.

**Application rate:** 30 - 35 g/m<sup>2</sup>.

**Area treated by a 25kg bag:** 714 - 833 m<sup>2</sup>.

**Suggested use period:** April to July.

**Fargro code:** AMSPSUM

##### **GREENMASTER MOSSKILLER**

**SCOTTS**

##### **(FINE TURF) 14+0+0 +8.9%FE**

Greenmaster Pro-Lite range.

**Contains:** 14% N and 26.8% w/w ferrous sulphate .

**MAPP No:** 12197. (Greenmaster Mosskiller is a registered professional herbicide therefore users require training in pesticide use).

The iron content ensures rapid and effective moss control.

**Application rate:** 35 g/m<sup>2</sup>.

**Area treated by a 25kg bag:** 714 m<sup>2</sup>.

**Suggested use period:** March to September.

**Fargro code:** AMMOSS

### **GREENMASTER AUTUMN (FINE TURF) 6+5+10 +6%FE**

**SCOTTS**

Greenmaster Pro-Lite range.

**Contains:** 6% N, 5% P<sub>2</sub>O<sub>5</sub>, 10% K<sub>2</sub>O and 18.1% w/w ferrous sulphate.

**MAPP No:** 12196. (Greenmaster Autumn is a registered professional herbicide therefore users require training in pesticide use).

Controls moss while strengthening the sward to overcome any mechanical damage. Low nitrogen content will not encourage diseases such as Fusarium Patch. Improves the health and appearance of fine turf.

**Application rate:** 35 g/m<sup>2</sup>.

**Area treated by a 25kg bag:** 714 m<sup>2</sup>.

**Suggested use period:** September to March.

**Fargro code:** To order (pallet of 40 x 25kg).

### **LAWN SAND:**

#### **SHL LAWN SAND 5+0+0 +2%Fe**

**SINCLAIR**

(powder formulation).

**Contains:** 5% N, 5.5% w/w ferrous sulphate.

**MAPP No:** 05254 (SHL Lawn Sand is a registered professional herbicide therefore users require training in pesticide use).

**Application Rate:** 135g/m<sup>2</sup>.

Kills moss and can be used on all grasses.

**Use period:** March to September.

**Areas:** Amenity turf areas such as parks and sports grounds.

**Fargro code:** LAS (25kg).

Pallet Quantities of 45.

---

## **GRASS SEEDS**

FROM DLF TRIFOLIUM THE PROFESSIONAL RANGE OF  
AMENITY GRASSES

### **HARD WEARING LAWNS (WITH RYEGRASS)**

#### **PRO MASTER 51 GREENSCAPE**

A hard wearing mixture that will establish rapidly. Ideal for general purpose landscaping and lawns. Contains only turf type perennial ryegrass.

20% Platinum perennial ryegrass,

20% Esquire perennial ryegrass,

60% Maxima strong creeping red fescue.

**Sowing rate:** 35 – 50 g/m<sup>2</sup>.

**Over-seeding:** 25 – 50 g/m<sup>2</sup>.

**Mowing height:** down to 13 mm.

**Fargro code:** GRASS3 (20kg).

### **FINE LAWNS (WITHOUT RYEGRASS)**

#### **PRO MASTER 52 GREENFINE**

An economical, fine textured mixture which will not be too

demanding with regard to maintenance, suitable for landscaping and lawns.

25% Legende chewings fescue,

70% Maxima strong creeping red fescue,

5% Highland browntop bent.

**Sowing rate:** 35 – 50 g/m<sup>2</sup>.

**Over-seeding:** 25 – 50 g/m<sup>2</sup>.

**Mowing height:** Down to 13 mm.

**Fargro code:** GRASS2 (20kg).

### **SHADED CONDITIONS**

#### **PRO MASTER 60 GREENSHADE**

A top quality mixture designed to produce an excellent turf under shaded conditions.

10% Quatro sheeps fescue,

30% Solo rough stalk meadow grass,

30% Legende chewings fescue,

25% Samanta slender creeping red fescue,

5% Highland browntop bent.

**Sowing rate:** 35 – 50g/m<sup>2</sup>.

**Over-seeding:** 25 – 50 g/m<sup>2</sup>.

**Mowing height:** Down to 25mm.

(Solo rough stalked meadow grass germinates quickly, providing lush green growth year round. To ensure successful turf feed regularly and do not mow too closely.

**Fargro code:** GRASS1 (20kg).

### **ALL PURPOSE AMENITY MIX**

#### **PRO MASTER 70 RECREATION**

A versatile mixture that will establish quickly to produce an attractive, dense and very hard wearing sward.

35% Verdi perennial ryegrass,

35% Platinum perennial ryegrass,

30% Herald strong creeping red fescue.

**Sowing rate:** 35 – 50 g/m<sup>2</sup>.

**Over-seeding:** 25 – 50 g/m<sup>2</sup>.

**Mowing height:** Down to 12 mm.

**Fargro code:** GRASS4 (20kg).

---

## **LAWN DRESSINGS AND LOAMS:**

### **PRE SEEDING LOAM / 4MM SCREENED LOAM**

Suitable for seeding preparation. Provides a level surface and ideal for seed sowing conditions.

**Fargro code:** AMSL (25 kg). Pallet quantity of 40.

### **LAWN DRESSING 70/30**

Leighton buzzard iron sand / 4mm screened loam. (70:30 sand : loam). Suitable for lawn dressing, levelling and construction.

**Fargro code:** AMLD (25kg). Pallet quantity of 40.

### **ENRICHED TOP SOIL 20MM**

Medium texture fibrous loam with added compost. Screened to 20 mm. Suitable for all garden and landscape situations. Easy to apply and rake in for a smooth surface. Ideal for laying new turf.

**Fargro code:** AMETS (25kg). Pallet quantity of 40.

## LAWN AND TURF HERBICIDES

### ESTEEM

### VITAX

**Active Ingredient:** 35 g/l clopyralid, 150 g/l 2,4-D and 175 g/l MCPA.

**Formulation Type:** SO **MAPP No:** 12555. (Esteem is a registered professional herbicide therefore users require training in pesticide use).

**Control:** A selective post-emergent herbicide to control broad-leaved weeds.

**Crops:** Managed amenity turf.

**Application Method:** Spray.

**Application Rate:** 3 litres per ha in 200 - 400 litres water by powered sprayer (30 ml / 10 litres water per 100 m<sup>2</sup> by knapsack).

**Fargro Code:** ESTE (2 litres).

### JEWEL

### SCOTTS

**Active Ingredient:** 1.5% w/w carfentrazone-ethyl and 60% w/w mecoprop-P.

**Formulation Type:** SG **MAPP No:** 14327. (Jewel is a registered professional herbicide therefore users require training in pesticide use).

**Control:** A wide spectrum of broad leaved weeds and moss.

**Crops:** Managed amenity turf and amenity grassland.

**Application Method:** Spray.

**Application Rate:** 1.5 kg per ha.

**Fargro Code:** JEWEL (1.5 kg)

### Maxicrop MOSSKILLER & LAWN TONIC MAXICROP

**Active Ingredient:** 16.4% w/w ferrous sulphate.

**Formulation Type:** SO **MAPP No:** 04661.

**Control:** A quick acting moss killer blackening moss within hours.

**Crops:** Lawns.

**Application Method:** Sprayer.

**Application Rate:** 200 ml per 10m<sup>2</sup> (in a water volume of between 1 and 9 litres). A repeat application may be made within a week.

**Comment:** For use as a home garden lawn treatment.

**Fargro Code:** MAXLMK (10 litre).

### RE-ACT

### SCOTTS

**Active Ingredient:** 237.5 g/l mecoprop-P, 256.25 g/l MCPA and 31.25 g/l dicamba.

**Formulation Type:** SC **MAPP No:** 12231. (Re-act is a registered professional herbicide therefore users require training in pesticide use).

**Control:** A selective post-emergent herbicide to control broad-leaved weeds.

**Crops:** Managed amenity turf and amenity grassland.

**Application Method:** Spray.

**Application Rate:** 3.5 to 5.5 litres per ha in 200 - 500 litres water. See label.

**Fargro Code:** REACT (5 litres).

See also "Cleanrun Pro", "Renovator Pro" and "Lawn Sand" (above) in the section "Fertiliser and fertiliser" mixtures with herbicides.

## LAWN AND TURF FUNGICIDES

### CHIPCO GREEN BAYER ENVIRONMENTAL SCIENCE

**Active Ingredient:** 25%w/w iprodione.

**Formulation Type:** SC **MAPP No:** 13843. (Chipco Green is a registered professional fungicide therefore users require training in pesticide use).

**Control:** Curative and preventative action against a range of turf diseases including *Fusarium* patch, red thread, dollar spot, anthracnose, leaf spot and rust.

**Crops:** Managed amenity turf.

**Application Method:** Spray.

**Application Rate:** 200 ml per 100m<sup>2</sup>.

**Fargro Code:** To order (5 litre), to order (1 litre).

## LAWN AND TURF INSECTICIDES:

### CROSSFIRE

### DOW AGROSCIENCES

**Active Ingredient:** 480g/litre chlorpyrifos.

**Formulation Type:** EC **MAPP No:** 12516. (Crossfire 480 is a registered professional insecticide therefore users require training in pesticide use).

**Control:** Leatherjackets and frit fly.

**Crops:** Amenity grassland and managed amenity turf.

**Application Method:** Spray.

**Application Rate:** 15 ml per 100m<sup>2</sup>.

**Fargro Code:** To order (1 litre).

### MERIT TURF

### BAYER ENVIRONMENTAL SCIENCE

**Active Ingredient:** 5g/kg imidacloprid.

**Formulation Type:** GR **MAPP No:** 12415. (Merit Turf is a registered professional insecticide therefore users require training in pesticide use).

**Control:** Systemic insecticide for the control of chafer grubs and population reduction of leatherjackets.

**Crops:** Managed amenity turf.

**Application Method:** Granular application equipment.

**Timing:** Prior to anticipated pest infestation – prior to egg hatch.

Chafer grubs apply in late spring or early summer.

Late summer or autumn to reduce leatherjacket populations.

Maximum of 1 application per year.

**Application Rate:** 300g per 100m<sup>2</sup>.

**Fargro Code:** To order (5 kg).

### NEMASYS G

### BECKER UNDERWOOD

A biological product containing *Heterorhabditis* sp. Insect parasitic nematodes.

**How it works:** The application releases nematodes which seek out insect larvae / grubs in the soil entering them through natural openings. Once inside they release their symbiotic bacteria killing the grub. Nematodes multiply in the dead organism releasing a new generation.

**Control:** The Garden Chafer *Phyllopertha horticola* present in

turf. Other species of Chafer such as the Cockchafer *Melolontha melolontha* may not be adequately controlled owing to differences in life cycle.

**When to use:** In accordance with the Garden Chafer life cycle - when the larvae are close to the soil surface and when the soil surface is above 12 °C. Typically treat from August to September. Later applications and the larvae may be too deep to be targeted and soil temperatures too low. Apply to wet ground (irrigate if required and afterwards). Nematodes must pass through the thatch layer and into the soil and need to be kept moist for 2-3 weeks. Nematodes are sensitive to sunlight so apply late in the day. Damage prevention will be noted the following spring when most damage is usually seen.

**Rate of use:** 50 million pack treats 100m<sup>2</sup>, 250 million pack treats 500m<sup>2</sup>.

**Fargro Code:** FGGRO (50 million), FGGRP (250 million).

---

## **EARTHWORM CONTROL**

### **CASTE OFF**

**Active Ingredient:** 500 g/l carbenfendazim.

**Formulation Type:** SC **MAPP No:** 12832. (Caste Off is a registered professional worm control agent therefore users require training in pesticide use).

**Control:** Worm control agent.

**Crops:** Managed amenity turf.

**Application Rate:**

Powered sprayer 4 l per ha in 500 to 1000 litres water.

Knapsack sprayer 40 ml per 100m<sup>2</sup> in 20 litres water.

Watering can 8 ml per 20m<sup>2</sup> in 10 litres water.

**Fargro Code:** To order (5 litre).

---

### **NUFARM**

## **OTHER PRODUCTS FOR AMENITY AREAS**

A wide range of other products from the Fargro sundries catalogue will be required but the following may be of particular interest:

**HERBICIDES** for weed control in and around amenity vegetation or total weed control on pathways fence lines etc details are included in the herbicide pages. See **Gallup Biograde Amenity** a systemic total herbicide, **Roundup Pro Biactive** a systemic total herbicide, **Finalsan Plus** a fast acting non-selective herbicide, **Flexidor 125** a residual herbicide suitable for newly planted or established trees and shrubs in amenity areas before weed emergence, **Kerb granules** as residual herbicide for control of grasses and broad leaved weeds in young forests and amenity plantings, **Procrystal** a biological control for algae in ponds, **Pistol** an industrial herbicide for total / residual weed control on natural surfaces not intended to bear vegetation, permeable surfaces overlying soil and hard surfaces – railway ballast only, **Chikara** an industrial herbicide for residual and some contact activity for weed control on natural surfaces not intended to bear vegetation, permeable surfaces overlying soil and hard surfaces – railway ballast only. [For more information see www.fargro.co.uk](http://www.fargro.co.uk) and look for "Horticultural Sundries Catalogue" and then look for "Herbicides".

**INSECTICIDES:** For **insect** control in amenity areas more details are in the insecticides pages. See **SB Plant Invigorator** an insecticide and fungicide working by physical means, **Dipel DF** for caterpillar control, **Decis / Decis Protech** broad range persistent insecticides. [For more information see www.fargro.co.uk](http://www.fargro.co.uk) and look for "Horticulture Sundries Catalogue" and then look for "Insecticides and Acaricides".

### **BIOLOGICAL CONTROLS:**

Fargro supply a full range of **biological control** products. [For more information see www.fargro.co.uk](http://www.fargro.co.uk) and look for "Biological Controls".

### **The formulation types listed are:**

BB: Block Baits

CR: Crystals

EC: Emulsifiable Concentrate

EW: Oil in Water Emulsion

FU: Smoke Generator

FW: Gas Generating Pellets

GR: Granules

LI: Liquid, Specified

ME: Micro-emulsion

PA: Paste

PT: Pellets

RH: Ready to use

SC: Suspension Concentrate

SG: Soluble Granule

SL: Water Soluble Powder

SO: Soluble Concentrate

TB: Tablets

WG: Water Dispersible Granule

WP: Wettable Powder

**USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.**

All trade marks are acknowledged.

© 2011 Copyright of Fargro Ltd and its suppliers. [www.fargro.co.uk](http://www.fargro.co.uk) Fargro Ltd Tel 01903 721591