



Fargro Service and Advice.

At Fargro we can advise on a wide range of crop protection matters. The sizing of the equipment is of particular importance and will depend on many factors including the size and shape of the houses requiring treatment and the nature of the products being used.

Fargro can give a full backup regarding which model is suitable for which situation and also explain in detail chemical selection and rates.

This service is unrivalled anywhere in the UK.

We also have our own maintenance and repair backup service and we carry a comprehensive range of spare parts.

Choose Fargro for your ULV Crop Application Equipment

DYNAFOG HURRICANE

The DH2792 can be used to apply various liquid formulations of crop chemicals, for controlling pest and disease in small enclosed spaces, such as mushroom houses, warehouses, storage rooms and small glasshouses.


It can also be used for economical humidity control in your Glasshouse. The Hurricane can be used in protected cropping situations where the grower wishes to raise humidity levels such as in propagation houses to prevent excessive transpiration of cuttings.

The machine is clean, efficient and reliable. It is powered by a 220 volt electric motor working off mains electricity. The Hurricane is easy to use. Simply fill the tank with water, plug in and switch on. A dial on the machine controls droplet size. Maximum output is 19 litres per hour.

As a guide one machine will give relative humidities above 90% on an area of 200 square feet. For larger areas machines can be linked together with a continuous feed of water. The Hurricane can be wired into a time-clock controller or humidity sensor to give automatic control.

Fargro Code: DYNAH 220 volt Model 2792

Fargro Code: DYNAHB 110 volt Model 2790



DH2739 HURRICANE A/F

This model has automatically controlled water feed. Useful for humidity control.

To dispense with the need to keep refilling the tank with water an adaptor on the formulation tank allows connection to the mains via a hose to give a continuous feed of water.

Multiple Hook-up

The hook-up on the tank is in the form of a letter 'Y', thus giving an 'in' port and an 'out' port. This makes possible the hooking up of several machines using short pieces of hose going from one unit to the next, needing one main hose inlet supply from the faucet to the first machine.

Fargro Code: DYNAHA



DH2600 TRAILBLAZER

Petrol driven hot fogger with short exhaust tube. Compact machines, ideal for small glass blocks and mushroom farms. Throws 80ft. Electric start using thermal battery pack. Ideal for blocks of under 1/2 acre (2000m²)

Fargro Code: DYNAT



DYNAFOG - GOLDEN EAGLE DH2610

Will handle all formulations. Has a throw of 100 feet output up to 34 litres/hour. Electric start using internal pack or via 12 volt DC battery connector. Petrol driven. Selector chooses dryness of fog required. This machine is light enough to be carried. 1 gallon formulation tank capacity. Ideal for blocks under (2000m²) 1/2 acre

Fargro Code: DYNAG



DYNAFOG - BLACKHAWK DH2620

Will handle all formulations. Powerful and will throw 150 feet+ Output: up to 68 litres/hour. Ideal for pest control and fumigation. Electric start and can be started using internal battery pack or via 12 volt DC battery connector. Petrol driven. Various orifices allow operator to choose degrees of dryness of fog. 3 gallon tank capacity removable formulation tank. Has large drum kit connection option (227 litres). Ideal for blocks up to 4000m² (1 acre)

Fargro Code: DYNAB



DYNAFOG - MISTER III DH2630

Will handle all formulations, throws 150ft and is ideal in situations where a high output is required. Removable 3 gallon plastic tank and can be connected to large drum kit. Ideal for blocks up to 4000m² (1 acre) and where heavier wettable powders are used

Fargro Code: DYNAM



DYNAFOG MISTER MAX DH2640

It is the largest of the thermal foggers we supply up to 94ltr/hr. 3 gallon removable plastic tank has large drum kit option. For blocks over 4000m² (1 acre)

Fargro Code: DYNAA



DYNAFOG - NIGHTSTAR LVM DH1902

Superior automated ULV sprayer. Large fan for distribution in large blocks. Will treat up to 6,000m² from one location. One of the best ULV's on the market. Available in a number of versions, including bench mounted, suspended or free standing models.

Has a 3 gallon tank with automatic flush. Particle size 8-50 micron, ensuring correct droplet for each particular situation.

Fargro Code: DYNAP



CYCLONE

The ultra precision metering valve produces particles under 20 microns regardless of flow rate and viscosity of material. Ideal for pest control work in areas such hospitals, nursing homes, schools, apartment buildings restaurants, greenhouses etc.

Fargro Code: DYNAC 220 volt Model 2732

Fargro Code: DYNAD 110 volt Model 2730



DH3000 CYCLONE ULV FLEX HOSE

An 18 inch flexible hose with handle on nozzle permits spraying into normally inaccessible and hard-to-reach areas. The Flex-hose is ideal for general pest control and duct work that requires disinfectant or duct sealant applications

To order



TORNADO ULV

The multi-range Tornado offers a 3 gallon tank, large formulation filter with removable screen and a precision control metering valve that allows adjustable outputs from a heavy mist of 5 gallons per hour down to low outputs in the ULV range. Ideal for humidification control in greenhouses, general pest control and application of germicides and disinfectants.

Fargro Code: DYNAJ 110 volt Model 2895

Fargro Code: DYNAF 220 volt Model 2897

